

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1215	(709/238).CCLS.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 12:13
L2	436	(709/239).CCLS.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 12:13
L3	195	(709/240).CCLS.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 12:13
L4	305	(709/242).CCLS.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 12:13
L5	666	(709/213).CCLS.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 12:13
L6	2422	L1 or L2 or L3 or L4 or L5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 12:13
L7	2659	"hash table"	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 12:13
L8	67	I6 and L7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 12:13
L9	47	(multiple or many or different) adj2 cache same URL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 12:15
S1	771	(IP) adj2 (cache or client)	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/12 10:33

S2	5	(IP) adj2 (cache and client)	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/12 12:00
S3	43	hash adj2 (table or code) same URL	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/12 12:06
S4	2	(decompos\$4 or decomposition) adj2 URL	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/12 12:07
S5	11	(decompos\$4 or decomposition) with URL	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/12 13:25
S6	0	"546422.pn"	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/12 13:26
S7	0	"6546422.pn"	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/12 13:26
S8	2	"6546422".pn.	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/12 13:26
S9	2	"6052718".pn.	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/12 13:26
S10	957	(709/238).CCLS.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 12:13
S11	354	(709/239).CCLS.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/03 11:36
S12	152	(709/240).CCLS.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/03 11:37

S13	136	(709/241).CCLS.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/03 11:37
S14	258	(709/242).CCLS.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/03 11:39
S15	11	((709/238).CCLS.) and ((709/239).CCLS.) and ((709/240).CCLS.) and ((709/241).CCLS.) and ((709/242).CCLS.)	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/03 15:00
S16	74	((((709/238).CCLS.) or ((709/239). CCLS.) or ((709/240).CCLS.) or ((709/241).CCLS.) or ((709/242). CCLS.)) and (IP or IPA) and URL and (router\$2)	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/03 15:10
S17	528	(709/213).CCLS.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/05 14:43
S18	275	(709/216).CCLS.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/05 14:43
S19	2145	(709/203).CCLS.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/05 14:43
S20	720	(709/250).CCLS.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/05 14:43
S21	148	(709/215).CCLS.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/05 14:44
S22	1	((709/213).CCLS.) and ((709/214).CCLS.) and ((709/215).CCLS.) and ((709/216).CCLS.) and ((709/203).CCLS.) and ((709/203).CCLS.)	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/05 14:43

S23	65	((709/215).CCLS.) and cach\$4	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/05 14:45
S24	0	((709/215).CCLS.) and cach\$4 with (web\$site\$2 or web\$page\$2)	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/05 14:45
S25	4	((((709/213).CCLS.) or ((709/214). CCLS.) or ((709/215).CCLS.) or ((709/216).CCLS.) or ((709/203). CCLS.)) and cach\$4 with (web\$site\$2 or web\$page\$2)	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/05 14:46
S26	72	((((709/213).CCLS.) or ((709/214). CCLS.) or ((709/215).CCLS.) or ((709/216).CCLS.) or ((709/203). CCLS.)) and cach\$4 and (web\$site\$2 or web\$page\$2)	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/05 14:51
S27	3	((((709/213).CCLS.) or ((709/214). CCLS.) or ((709/215).CCLS.) or ((709/216).CCLS.) or ((709/203). CCLS.)) and cach\$4 and (web\$site\$2 or web\$page\$2) with (rout\$5)	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/05 14:51
S28	158	(709/214).CCLS.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/05 15:21
S29	2256	"hash table"	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/10 11:42
S30	346	"hash table" and (router\$2)	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/10 11:42
S31	197	"hash table" and (router\$2) and cach\$5	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/10 11:43
S32	1646	(multiple or many) adj2 cache	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/11 20:18
S33	70	(multiple or many) adj2 cache and (URL)	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/11 21:14

S34	422	(forward or receive) adj2 cache	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/11 21:14
S35	36	(forward or receive) adj2 URL and cache	USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2004/05/12 10:32